

Properties Nation Nation Nation Nation Nation Nation Nation Image: main in the state of the sta								Tiopo	ei 1169.					
Image: Control in the second in the secon								Proper	rties				Value	Unit
Image: 1 13 15 10 ¹ Image: 1 13 10 ¹ 15 10 ¹ Image: 1 13 10 ¹ 10 ¹ 10 ¹ 10 ¹ Image: 1 13 10 ¹ 10 ¹ 10 ¹ 10 ¹ 10 ¹ Image: 1 10 ¹ Image: 1 10 ¹								Materia	ial			(Cu-EPT, EN13600	
Image: Non-transmitter Vertice Properties: Namedre: 010 20 Namedre: 010 25								Surface	e				Tin	
Image: Section 1 Certification: Image: Section 2 Certification:								Screw					M3	
Li Li <td< th=""><th></th><th>-(</th><th>+-)- □ ≥</th><th></th><th></th><th></th><th></th><th>Wire Cr</th><th>ross Secti</th><th>ion</th><th></th><th></th><th>1.5</th><th>mm²</th></td<>		-(+-)- □ ≥					Wire Cr	ross Secti	ion			1.5	mm ²
L1 L3 Control relationed [CD1:107/2008] Halogen Free Control relationed [CD1:107/2008] Deparating Tomporature :30 * Cup to + 120 * C Deparating Tomporature :30 * Cup to + 120 * C Model Free Halogen Free :30 * Cup to + 120 * C Deparating Tomporature :30 * Cup to + 120 * C Halogen Free :30 * Cup to + 120 * C Halogen Free :30 * Cup to + 120 * C Halogen Free :30 * Cup to + 120 * C </th <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>Certif</th> <th>ficatio</th> <th>n:</th> <th></th> <th></th> <th></th> <th></th>								Certif	ficatio	n:				
Image: res Control (EC 6124-2-2) Halogen Free Control (EC 6124-2-2)								RoHS A	Approval			Compliant	[2011/65/EU&2015	/863]
Image: Free Controm (LEDEC. 357088)	_ L1		L3					REACh	n Approval	l		Conform or	declared [(EC)1907/	2006]
$\begin{array}{c} \hline \\ \hline $								Haloge	en Free			Confc	rm [IEC 61249-2-21]
Image barreter Value								Haloge	en Free			Conf	orm [JEDEC JS709B]	
Properties Value Unit Length L1 12 mm Length L2 6.5 mm Length L3 3.25 mm Width M 6.5 mm Diameter Ø D 3.2 mm Inner Diameter Ø D 1.8 mm Visicht VURTH Elektronik elSos fundh & Co. KG EMC & Inductive Solutions Mac Str. KG Mac Str. Str. 1 Visicht Ø D 1.8 mm Note: Charles MC Status Status Mac Str. Str. 1 YOU EXPERCIPATION WURTH Elektronik elSos fundh & Co. KG EMC & Inductive Solutions Mac Str. Str. 1 Mac Str. Str. 1 Wirth Elektronik elSos fundh & Co. KG EMC & Inductive Solutions Mac Str. Str. 1 Mac Str. Str. 1 Wirth Elektronik elSos fundh & Co. KG EMC & Inductive Solutions Mac Str. Str. 1 Mac Str. Str. 1 Mac Str. Str. 1 MC Mac Str. Str. 1 Mac Str. Str. 1 Mac Str. Str. 1 Mac Str. Str. 1 Status Status Mac Str. Str. 1 Mac Str. Str. 1								Operati Storage packag	ting Tempo Je Conditio ging)	erature ons (in o	riginal		40 °C ;<75 % rH	
Length L1 12 mm Length L2 6.5 mm Length L3 3.25 mm Width W 6.5 mm Diameter Ø D 3.2 mm Inner Diameter Ø ID 1.8 mm Usiebt U 0.00 mm Würth Bektronik elöse GmbH & Co. KG EMC & Inductive Solutions Max-Eyth-Sr. 1 Würth Bektronik elöse GmbH & Co. KG EMC & Inductive Solutions Max-Eyth-Sr. 1 Würth Bektronik elöse GmbH & Co. KG EMC & Inductive Solutions Max-Eyth-Sr. 1 Würth Bektronik elöse GmbH & Co. KG EMC & Inductive Solutions Max-Eyth-Sr. 1 Würth Bektronik elöse GmbH & Co. KG EMC & Inductive Solutions Max-Eyth-Sr. 1 Würth Bektronik elöse GmbH & Co. KG EMC & Inductive Solutions Max-Eyth-Sr. 1 Busess Luit Buse Solutions Wurth Elektronik elöse GmbH & Co. KG Max-Eyth-Sr. 1 Ta degr Buse Solutions Buse Solu	Article Properties: Properties		Value	Unit							1			
Length L2 6.5 mm Length L3 3.25 mm Width W 6.5 mm Diameter Ø D 3.2 mm Inner Diameter Ø D 1.8 mm Wigth 0.0 neres Würth Elektronik elSos GmbH & Co. KG Bermany Muser Description Inner Diameter Ø ID 1.8 mm Würth Elektronik elSos GmbH & Co. KG Bermany Busness Lutr Status Busness Lutr Status Prefe Visiente Visiente Diameter Ø ID 1.8 mm Visiente Würth Elektronik elSos GmbH & Co. KG Bermany Busness Lutr Status Busness Lutr Status Prefe		L ₁									1		PROJECTION METHOD	- [-]@-
Length L3 3.25 mm Width W 6.5 mm Diameter Ø D 3.2 mm Inner Diameter Ø ID 1.8 mm Usiett WURTH WURTH Wight 0.0 mm Wight Million Wight Inner Diameter Ø ID 1.8		- ·												
Width W 6.5 mm Diameter Ø D 3.2 mm Inner Diameter Ø ID 1.8 mm Usietta U 0.0 rm	Length		3.25	mm	COMPLIANT COMPLIANT	FREE				G Tub	ular Cable	e l une		
Diameter Ø D 3.2 mm Inner Diameter Ø ID 1.8 mm Usiette Inner Diameter 0.0 rma	Width		6.5	mm			Würth Elektronik eiSos GmbH & Co. KG					Lugo	ORDER CODE	
Inner Diameter Ø ID I.8 Mm I.7 MORE THAN Tel. +49 (0) 79 42 945 - 0 Volumeter Volumeter Volumeter Volumeter Volumeter Volumeter	Diameter	ØD	3.2	mm		WURTH	Max-Eyth-Str. 1							
Height H 0.9 mm YOU EXPECT www.we-online.com eiCan Valid 1/4	Inner Diameter	ØID	1.8	mm	IN/E	MORE THAN	Germany					BUSINESS UNIT		PAGE
	Height	Н	0.9	mm		YOU EXPECT	www.we-online.com					eiCan	Valid	1 1

Properties:

This electronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment where a higher safety standard and reliability standard is especially required or where a failure of the product is reasonably expected to cause severe personal injury or death, unless the parties have executed an agreement specifically mention, transportation, transportation, transportation, transportation, transportation, transportation, transportation, transportation, medical, public information network etc... Wirth Elektronik eiSos GmbH & Co KG must be informed about the intent of such usage before the design-in stage. In addition, sufficient reliability evaluation checks for safety must be performed on every electronic component which is used in electrical circuits that require high safety and reliability functions or performance.

Further information

Component Libraries:

Ð	<u>3D_55803015</u>
ES	Download_IGS_

GS_55803015

Download_STP_55803015 SU

Design Kits:

Tubular Cable Lugs

Free Sample Order:

Order free samples of this article directly here!

			CHECKED KGa	REVISION 002.001	DATE (YYYY-MM-DD) 2024-11-29	general tolerance DIN 46235		PROJECTION METHOD	 €-
	ROHS REACH HALOGEN COMPLIANT COMPLIANT FREE		WA-CLUG Tubular Cable Lugs						
							ORDER CODI	03015	
	MORE THAN YOU EXPEC	V Tel. +49 (0) 79 42 945 - 0				BUSINESS UNIT eiCan	status Valid		PAGE 2/4

This electronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment where a higher safety standard and reliability standard is especially required or where a failure of the product is not authorized for use in equipment where a higher safety standard and reliability standard is especially required or where a failure of the product is reasonably expected to cause severe personal injury or death, unless the parties have executed an agreement specifically governing such use. Moreover Würth Elektronik elSos GmbH & Co KG must be informed about the intent of such usage before the design-in stage. In addition, sufficient reliability evaluation checks for safety must be performed on every electronic component which is used in electronic advicus the runterioa circuits that must control such usage before the design-in stage. In addition, sufficient reliability evaluation checks for safety must be performed on every electronic component which is used in electronic advicus that must and require high safety and reliability an

Cautions and Warnings:

The following conditions apply to all goods within the product series of WA-CLUG of Würth Elektronik eiSos GmbH & Co. KG:

General:

- This mechanical component is designed and manufactured for use in general electronic equipment.
- Würth Elektronik must be asked for written approval (following the PPAP procedure) before incorporating the components into any
 equipment in fields such as military, aerospace, aviation, nuclear control, submarine, transportation (automotive control, train control,
 ship control), transportation signal, disaster prevention, medical, public information network, etc. where higher safety and reliability are
 especially required and/or if there is the possibility of direct damage or human injury.
- Mechanical components that will be used in safety-critical or high-reliability applications, should be pre-evaluated by the customer.
- The component is designed and manufactured to be used within the datasheet specified values. If the usage and operation conditions
 specified in the datasheet are not met, the component may be damaged or dissolved.
- Do not drop or impact the components, the component may be damaged.
- Würth Elektronik products are qualified according to international standards, which are listed in each product reliability report. Würth
 Elektronik does not warrant any customer qualified product characteristics beyond Würth Elektroniks' specifications, for its validity and
 sustainability over time.
- The responsibility for the function of the application of the customer specific products and use in a particular customer design is always
 the full and autonomous responsibility of the customer. All technical specification for standard products also apply to customer specific
 products.

Product Specific:

Cleaning and Washing:

- Washing agents used during the production to clean the customer application might damage or change the characteristics of the components. Washing agents may have a negative effect on the long-term functionality of the product.
- Using a brush during the cleaning process may damage the component. Therefore, we do not recommend using a brush during the PCB cleaning process.

Potting and Coating:

• If the product is potted in the customer application, the potting material might shrink or expand during and after hardening. Shrinking could lead to an incomplete seal, allowing contaminants into the components. Expansion could damage the components. We recommend a manual inspection after potting or coating to avoid these effects.

Storage Conditions:

- A storage of Würth Elektronik products for longer than 12 months is not recommended. Within other effects, the terminals may suffer degradation, resulting in bad processability. Therefore, all products shall be used within the period of 12 months based on the day of shipment.
- Do not expose the components to direct sunlight.
- The storage conditions in the original packaging are defined according to DIN EN 61760-2.
- The storage conditions stated in the original packaging apply to the storage time and not to the transportation time of the components.

Packaging:

• The packaging specifications apply only to purchase orders comprising whole packaging units. If the ordered quantity exceeds or is lower than the specified packaging unit, packaging in accordance with the packaging specifications cannot be ensured.

Handling:

- · The maximum permissible torques must be complied with to prevent mechanical destruction of the component and PCB
- If a component is pre-assembled with an adhesive tape, the adhesive duration cannot be guaranteed. This depends on the surface
 where the component will be mounted on. It also depends on the environmental conditions the component is exposed to. The customer
 has to evaluate this for his specific application.
- · Violation of the technical product specifications will void the warranty.
- Coated metal parts may have spots and/or deposits because of the rinsing and drying process during plating. The storage and
 processability are not affected.
- The temperature rise of the component must be taken into consideration. The operating temperature is comprised of ambient temperature and temperature rise of the component. The operating temperature of the component shall not exceed the maximum temperature specified.

These cautions and warnings comply with the state of the scientific and technical knowledge and are believed to be accurate and reliable. However, no responsibility is assumed for inaccuracies or incompleteness.

			CHECKED KGa	REVISION 002.001	DATE (YYYY-MM-DD) 2024-11-29	general tolerance DIN 46235	_	PROJECTION METHOD	$- \bigcirc ($	€-	
	ROHS REACH HALOGEN COMPLIANT COMPLIANT FREE			WA-CLUG Tubular Cable Lugs							
	L-//5	WURTH ELEKTRONIK	Würft Elektronik eiSos Grahb & Co. KG EMC & Inductive Solutions Max-Eyth-Str. 1 74638 Waldenburg Germany					ORDER CODE	03015		
	./-	MORE THAN YOU EXPECT	Tel. +49 (0) 79 42 945 - 0 www.we-online.com elSos@we-online.com				BUSINESS UNIT eiCan	status Valid		1	PAGE 3/4

This electronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment where a higher safety standard and reliability standard is especially required or where a failure of the product is reasonably expected to cause severe personal injury or death, unless the parties have executed an agreement specifically governing such use. Moreover Würth Elektronik elSos GmbH & Co KG must be informed about the intent of such usage before the design-in stage. In addition, sufficient reliability evaluation checks for safety must be performed on every electronic component which is used in electronic circuits that require high asteging and reliability functions or performance.

Important Notes

The following conditions apply to all goods within the product range of Würth Elektronik eiSos GmbH & Co. KG:

1. General Customer Responsibility

Some goods within the product range of Würth Elektronik eiSos GmbH & Co. KG contain statements regarding general suitability for certain application areas. These statements about suitability are based on our knowledge and experience of typical requirements concerning the areas, serve as general guidance and cannot be estimated as binding statements about the suitability for a customer application. The responsibility for the applicability and use in a particular customer design is always solely within the authority of the customer. Due to this fact it is up to the customer to evaluate, where appropriate to investigate and decide whether the device with the specific product characteristics described in the product specification is valid and suitable for the respective customer application or not.

2. Customer Responsibility related to Specific, in particular Safety-Relevant Applications

It has to be clearly pointed out that the possibility of a malfunction of electronic components or failure before the end of the usual lifetime cannot be completely eliminated in the current state of the art, even if the products are operated within the range of the specifications. In certain customer applications requiring a very high level of safety and especially in customer applications in which the malfunction or failure of an electronic component could endanger human life or health it must be ensured by most advanced technological aid of suitable design of the customer application that no injury or damage is caused to third parties in the event of malfunction or failure of an electronic component. Therefore, customer is cautioned to verify that data sheets are current before placing orders. The current data sheets can be downloaded at www.we-online.com.

3. Best Care and Attention

Any product-specific notes, cautions and warnings must be strictly observed. Any disregard will result in the loss of warranty.

4. Customer Support for Product Specifications

Some products within the product range may contain substances which are subject to restrictions in certain jurisdictions in order to serve specific technical requirements. Necessary information is available on request. In this case the field sales engineer or the internal sales person in charge should be contacted who will be happy to support in this matter.

5. Product R&D

Due to constant product improvement product specifications may change from time to time. As a standard reporting procedure of the Product Change Notification (PCN) according to the JEDEC-Standard inform about minor and major changes. In case of further queries regarding the PCN, the field sales engineer or the internal sales person in charge should be contacted. The basic responsibility of the customer as per Section 1 and 2 remains unaffected.

6. Product Life Cycle

Due to technical progress and economical evaluation we also reserve the right to discontinue production and delivery of products. As a standard reporting procedure of the Product Termination Notification (PTN) according to the JEDEC-Standard we will inform at an early stage about inevitable product discontinuance. According to this we cannot guarantee that all products within our product range will always be available. Therefore it needs to be verified with the field sales engineer or the internal sales person in charge about the current product availability expectancy before or when the product for application design-in disposal is considered. The approach named above does not apply in the case of individual agreements deviating from the foregoing for customer-specific products.

7. Property Rights

All the rights for contractual products produced by Würth Elektronik eiSos GmbH & Co. KG on the basis of ideas, development contracts as well as models or templates that are subject to copyright, patent or commercial protection supplied to the customer will remain with Würth Elektronik eiSos GmbH & Co. KG does not warrant or represent that any license, either expressed or implied, is granted under any patent right, copyright, mask work right, or other intellectual property right relating to any combination, application, or process in which Würth Elektronik eiSos GmbH & Co. KG components or services are used.

8. General Terms and Conditions

Unless otherwise agreed in individual contracts, all orders are subject to the current version of the "General Terms and Conditions of Würth Elektronik eiSos Group", last version available at www.we-online.com.

COMPLIANT COMPLIANT FREE			REVISION 002.001	DATE (YYYY-MM-DD) 2024-11-29	general tolerance DIN 46235		PROJECTION METHOD -E	30	€-
			WA-CLUG Tubular Cable Lugs						
	Würth Elektronik eiSos GmbH & Co. KG EMC & Inductive Solutions Max-Eyth-Str. 1 74638 Waldenburg Germany				_	ORDER CODE	03015		
MORE THAN YOU EXPECT	Tel. +49 (0) 79 42 945 - 0 www.we-online.com eiSos@we-online.com				BUSINESS UNIT eiCan	status Valid		- 1	PAGE 4/4

This electronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment where a higher safety standard and reliability standard is especially required or where a failure of the product is reasonably expected to cause severe personal injury or death, unless the parties have executed an agreement specifically governing such use. Moreover Würth Elektronik elSos GmbH & Co KG must be informed about the intent of such usage before the design-in stage. In addition, sufficient reliability evaluation checks for safety must be performed on every electronic component which is used in electronic circuits that require high asteging and reliability functions or performance.