1			2 3 4		5				
		3.5 9.2				(2.5) ↓↓↓↓↓ ↓↓↓↓↓ ↓↓↓↓↓ ↓↓↓↓↓ ↓↓↓↓↓ ↓↓↓↓↓ ↓↓↓↓↓ ↓↓↓↓↓ ↓↓↓↓↓ ↓↓↓↓↓↓	CHARACTERISTICS PA66 TY RATING: UL94-V0 EEN N: BRASS (CuZn) L PLATING: TIN NTAL TEMPERATURE: -40 UP TO 105°C E: LEAD FREE AND ROHS		B
						A = (NB. PIN: B = ((NB. PIN	S -1) x PITCH IS -1) x PITCH) +5		С
Ro	oHS Compliant								
G				PROJECTION:	GENERAL TOLERANCE				
F					.X = <sup>+</sup> /_ 0.2				
E					.XX = <sup>+</sup> /_ 0.15				
D	07-APR-16	DRAWING	AK						_
С	12-OCT-09	STANDARD	JP	APPROVAL: FBr	UNIT: MM	DESCRIPTION: SERIE 321 - 3.81MM	VERTICAL PCB HEADERS WR-TBL	SIZE	D
В	29-OCT-08	CHARACTERISTICS			SCALE:			— A4	
A	31-OCT-07	PDF	EC		SHEET: 1/2	WERI PART NO: 691 321 300 0xx		A4	*
REV	DATE	FILE	BY		DRAW: MARVIN				

1	2	3	4	5	-
					_

А

В

С

## **Cautions and Warnings:**

This electronic component is designed and developed with the intention for use

in general electronics equipments.

Before incorporating the components into any equipments in the field such as aerospace, aviation, nuclear control, submarine, transportation, (automotive control, train control, ship control), transportation signal, disaster prevention, medical, public information network etc. where higher safety and reliability are especially required or if there is possibility of direct damage or injury to human body, Wurth Elektronik must be asked for a written approval.

In addition, even electronic component in general electronic equipments, when used in electrical circuits that require high safety, reliability functions or performance, the sufficient reliability evaluation-check for the safety must be performed before by the user before usage.

R	oHS Compliant							
G				PROJECTION:	GENERAL TOLERANCE			]
F					.X = <sup>+</sup> /_ 0.2			
E					.XX = <sup>+</sup> /_ 0.15			
D						WÜRTH ELEKTRONĬK		
С				APPROVAL: JC	UNIT: MM	DESCRIPTION: DISCLAIMER	SIZE	lD
В				]	SCALE:			٢
A	10-SEP-14	PDF	QL	1	SHEET: 2/2	WERI PART NO: DISCLAIMER	<b>A4</b>	
REV	DATE	FILE	BY		DRAW: QL			